

# **MMC Series**

# Metric Modular Precision Link Conveyors

The all new metric series precision link conveyors are the perfect solution for automation needs. These precision products are offered for wide variety of general industrial applications including assembly lines, automotive ancillary parts assembly, packaging, special purpose machines, inspection, food and beverage and pharmaceutical. MMC links are offered in three prominent sizes, each of these link sizes can locate customer tooling with dual precision dowel pin hole and standard M8 tap holes for fastening fixtures to the links.

These precision link conveyors are offered in standard modular end section lengths and customizable intermediate section lengths based on required application center distance.

Precision link conveyors can be set in motion through direct driven or shaft driven indexers as standard motion options wherein customer needs less variability.



## PRODUCT HIGHLIGHTS/OPTIONS

- Over Under and Carousel mounting options
- Customized mounting leg options
- Tooling plate mounting options available





### **FEATURES & BENEFITS**



- Largest load carrying capability per link
- Large followers for large static loads
- 1 Year Warranty



- Modular design for easily configurable units
- Middle segments can be combined to achieve standard lengths



- Minimal maintenance time for improved production planning
- Accessible track and Yoke followers
- Field regreaseable CAM followers









## MMC Series Metric Modular Precision Link Conveyors

The MMC Series conveyor offers the best-in-class loads per link, positional accuracy and speed in the industry. The open frame design has an optimized footprint and allows users to mount tooling, fixtures, accessories inside and around the conveyor, thus minimizing customer end machine footprint.



- Industrial and Med-Redi Applications
- High-speed station-to-station parts transfer
- Precision positioning of parts for assembly or manufacturing processes

#### † For application specific moment and load capacities please contact DESTACO sales.

## Complete with motorized index drive system including overload protection

- Direct or shaft-driven
- Mechanical or servo drive



## Three model variants available based on link sizes to meet most application requirements



Model	MMC75	MMC112	MMC150
Link Size	75 mm	112,5 mm	150 mm

DIMENSIONS AND TECHNICAL INFORMATION ARE SUBJECT TO CHANGE WITHOUT NOTICE.











+420-603-577-341

czech@destaco.com



india@destaco.com









KAT\_IN\_MMC-F\_0125\_GB